



www.sorendplus.com

ITALIAN COMPONENTS

@sorendplus

شرکت کوشا اختر سیمرغ خاورمیانه



2020 - 2021





Code Gas SN:600

SN: SOREND PLUS

flame steel gas Product Code SN:600
stainless steel flame retardant 4
Instant thermocouple lighter
Italian flame with excellent quality
Refractory volume against high heat
Cast iron design of European day



Code Gas SN:601

SN: SOREND PLUS

Steel: Anti-stain
cast iron : Unbreakable and beautiful and
Portable
slow cooker for rice cooker: yes
Lighter and thermocouple : instant
Flame head: DEFENDI Italy
The thermal power of the flames : 4 kw for
small flames - 4.5 kW for large flame
Fireproof key : against very high heat
Benefits of flame head : DEFENDI original Italian
Steel : High power and efficiency Proper design
Energy Grid : A+



Code Gas SN:602

SN: SOREND PLUS

Material: steel Anti-stain
cast iron: Unbreakable and beautiful and
Portable
slow cooker for rice cooker: yes
Lighter and thermocouple : instant
Flame head: DEFENDI Italy
The thermal power of the flames: 4 kW For
small flames - 4.5 kW for large flame
Fireproof key: against very high heat
Benefits of flame head: DEFENDI original Italian
Steel: High power and efficiency Proper design
Energy Grid: A+



Code Gas SN:603

SN: SOREND PLUS

material:steelAnti-stain
cast iron: Unbreakable and beautiful and
Portable
slow cooker for rice cooker: It has
Lighter and thermocouple: instant
Flame head: DEFENDI Italy
The thermal power of the flames: 4 kW For
small flames - 4.5 kW for large flame
Fireproof key: against very high heat
Benefits of flame head: DEFENDI original Italian
Steel: High power and efficiency - Proper design
Energy Grid: A+
Rice cooker type: Rice cooker the side



Code Gas SN:604

SN: SOREND PLUS

Gas surface type: stainless steel
cast iron: Beautiful moving and Unbreakable
switch: Refractory against heat
Flaming rice cooker: 3 Giglore Italy
Lighter and thermocouple: Separate and
instant
other flames:2/3kw
large flames:3kw
Large flame: in side



Code Gas SN:505

SN: SOREND PLUS

material : steel Anti-stain
cast iron : Unbreakable and beautiful and
Portable
slow cooker for rice cooker: It has
Lighter and thermocouple : instant
Flame head: DEFENDI Italy
The thermal power of the flames: 2.4 kW For
small flames - 4.5 kW for large flame
Fireproof key: against very high heat
Benefits of flame head: DEFENDI original Italian
Steel: High power and efficiency - Proper design
Energy Grid: A+
Rice cooker type : Rice cooker the side
Under the volume stove: LED



Code Gas SN:506

SN: SOREND PLUS

Gas plate: 90 cm
Material : Steel 304
Number of flames: 5
anti blemish: Has it
Network Type: Cast Iron
Thickness of steel plate: 1 mm
Type of rice cooker flame : SKW REAL DUAL
thermocouple : Automatic
CASTFuTuRA Italy
valve & Flame Model: DEFENDI Original Italian
Place of rice cooker: Middle



Code Gas SN:607

SN: SOREND PLUS

Material: steel Anti-stain
cast iron: Unbreakable and beautiful and
Portable
slow cooker for rice cooker: It has
Lighter and thermocouple: instant
Flame head: DEFENDI Italy
The thermal power of the flames:4 kW
For small flames - 4.5 kW for large flame
Fireproof key: against very high heat
Rice cooker type: Middle rice cooker
Energy Grid: A+



Code Gas SN:608

SN: SOREND PLUS

Gas plate: 90 cm
Material: Steel 304
Number of flames: 5
anti blemish: Has it
Network Type: Cast Iron
Thickness of steel plate: 1mm
Type of rice cooker flame : SKW REAL DUAL
Lighter and thermocouple : Automatic
CASTFuTuRA Italy
valve & Flame Model: DEFENDI Original Italian
Place of rice cooker: beside



Code Gas SN:609

SN: SOREND PLUS

Gas surface type: stainless steel
cast iron: Beautiful moving and
Unbreakable
switch: Refractory against heat
Flaming rice cooker: 3 Giglore Italy
Lighter and thermocouple: Separate and
instant
other flames:2/3kw
large flames:3kw
Large flame: in the middle



Code Gas SN:610

SN: SOREND PLUS

Gas surface type: stainless steel
cast iron: Beautiful moving and
Unbreakable
switch: Refractory against heat
Flaming rice cooker: 3 Giglore Italy
Lighter and thermocouple: Separate and
instant
other flames:2/5kw
large flames:3kw
Large flame: in the middle



Code Gas SN:611

SN: SOREND PLUS

Gas surface type: stainless steel
cast iron: Beautiful moving and
Unbreakable
Switch: Refractory against heat
Flaming rice cooker: 3 Giglore Italy
Lighter and thermocouple: Separate and
instant
other flames : 2/5kw
large flames : 3kw
Large flame: Aside



SN: SOREND^{PLUS}





Code Gas SN:650

PLUS SOREND

Gas 4 Flame Glass Product Code SN: 650
unbreakable glass flames against heat and impact 4
Instant thermocouple lighter
Italian flame with excellent quality
Refractory volume against high heat
Cast iron design of European day



Code Gas SN:651

PLUS SOREND

Steel : Anti - stain
cast iron : Unbreakable and beautiful and
Portable
slow cooker for rice
cooker : yes
Lighter and thermocouple : instant
Flame head : DEFENDI Italy
The thermal power of the flames : 4 kW For
small flames - 4.5 kW for large flame
Fireproof key : against very high heat
Benefits of flame head : DEFENDI original Italian
Steel : High power and efficiency - Proper design
Energy Grid : A+



Code Gas SN:652

PLUS SOREND

Glass : Unbreakable at high temperatures
cast iron : Slow baked single
Volume : Refractory against Heat
Lighter and thermocouple : separator
Flame Head : Italy sabaf
Big rice cooker : center
Thermal power : 3.8 kW
Bottom gas size : 45 x 84
Overall size : 90 x 50 built - in
Plate Cooker : r : Surand Plus



Code Gas SN:653

PLUS SOREND

Glass : Unbreakable at high temperatures
cast iron : Slow baked single
Volume : Refractory against Heat
Lighter and thermocouple : separator
Flame Head : Italy sabaf
Big rice cooker : center
Thermal power : 3.8 kW
Bottom gas size : 45 x 84
Overall size : 90 x 50 built - in
Plate Cooker : Surand Plus



Code Gas SN:654

PLUS SOREND


Glass : Unbreakable at high temperatures
cast iron : Slow baked single
Volume : Refractory against Heat
Lighter and thermocouple : separator
Flame Head : Italy sabaf
Big rice cooker : center
Thermal power : 3.8 kW
Bottom gas size : 45 x 84
Overall size : 90 x 50 built - in
Plate Cooker : Surand Plus



Code Gas SN:655

PLUS SOREND

Glass : Unbreakable at high temperatures
cast iron : Slow baked single
Volume : Refractory against Heat
Lighter and thermocouple : separator
Flame Head : Italy sabaf
Big rice cooker : aside
Thermal power : 3.8 kW
Bottom gas size : 45 x 84
Overall size : 90 x 50 built - in
Plate Cooker : Surand Plus



Code Gas SN:656

PLUS SOREND

Glass: Unbreakable ascorite against heat
shock up to 300 ° C and impact up to 400 kg
Lighter and thermocouple : Annie Spain
Cast iron : Beautiful new European design
square
volume : With the key of refractory
against high heat
Boiler thermal power : 4.5 kW
Flame : 4 kW
Glass type : 8mm world standard ascorite
Flame head : Original Italian sabaf



Code Gas SN:657

PLUS SOREND

Glass : Unbreakable crystal white against heat
and shock
Beautiful moving and breakable cast iron : yes
Volume : Fireproof against heat
Lighter and thermocouple : Instantly separate
Flaming rice cooker : 4.5 kw
other flaming : 4 kw
Big rice cooker : Central 5 burners



Code Gas SN:658

PLUS SOREND

Glass : Unbreakable at high temperatures
cast iron : Slow baked single
Volume : Refractory against Heat
Lighter and thermocouple : Separator
Flame Head : DEFENDI Italy
Big rice cooker : Center
Thermal power : 4.5 kW for the rice cooker
flame head
flame heads 4 kW for flames



Code Gas SN:659

PLUS SOREND

Flame : Direct flame , Addition of oxygen
from under the flame, which increases the
strength of the flame
cast iron : Beautiful and unique
Large rice cooker : in the middle
Glass : 8 miles high impact and high
temperature unbreakable glass (world
standard)



Code Gas SN:660

PLUS SOREND

Glass : Unbreakable safety glass against heat
shock up to 300 ° C and impact up to 400
kg , 8 ml world standard
lighter and thermocouple : Instant Spanish
cast iron : Beautiful New European design
Heat capacity of rice cooker : 4.5 kW
Heat capacity of the res : 4 kW



Code Gas SN:666

PLUS SOREND

Glass: Crystal white glass Unbreakable
Against heat and shock
cast iron: Beautiful moving and
Unbreakable
switch: Refractory against heat
Flaming rice cooker: 3 Giglore Italy
Lighter and thermocouple: Separate and
instant
other flames: 2/3kw
large flames: 3kw
Large flame: in the middle



Code Gas SN:667

Glass: Unbreakable ascorite against heat
shock up to 300 ° C and impact up to 400 kg
- 8 mm universal standard
Lighter and thermocouple: instantaneous
Spain
cast iron: Beautiful square new European
design
key: refractory against high heat
Flame head: Italy original sabaf
flame thermal power: Large flame 4.5 kW-
small flames 4 kW



Code Gas SN:668

Glass: Unbreakable ascorite against heat
shock up to 300 ° C and impact up to 400 kg
- 8 mm universal standard
Lighter and thermocouple: instantaneous
Spain
cast iron: Beautiful square new European
design
key: refractory against high heat
Flame head: Italy original sabaf
flame thermal power: Large flame 4.5 kW-
small flames 4 kW



Code Gas SN:669

Glass : Unbreakable Tempered against For
heat shock up to 300 ° C and shock up to
400 kg - 8 miles of world standard
Beautiful moving and unbreakable cast
iron : yes
Volume : Fireproof against heat
Lighter and thermocouple : Instantly
separate
Flaming rice cooker : Three Ziggler Sami
Press
other flaming : 4 kw



SN+ SOREND^{PLUS}





Code Gas SN:701

PLUS
SOREND

Filter :Washable
Glass : shatterproof reflex
Light : 2 low power OLED lamps
Motor : Metal And Metal Butterfly
remote control : yes
size : 90
speed : 4 speed supercharger
switch : Touch with smoke and heat and gas sensors



Code Gas SN:702

PLUS
SOREND

Engine : Super Silent and metallic - 4 different speed types
Filter : Washable
Touch switch : Has it
Type of sensor : Smoke, heat and gas
Glass : Unbreakable reflex
remote control : Has it
Size : 90 cm
Lighting : two low - consumption OLED lamps



Code Gas SN:703

PLUS
SOREND

Filter : Washable
Glass : shatterproof reflex
Light : 2 low power OLED lamps
Motor : Metal And Metal Butterfly
remote control : yes
size : 90
speed : 4 speed supercharger
switch : Touch with smoke and heat and gas sensors



Code Gas SN:704

PLUS
SOREND

Size : 90 cm
Glass Material : Unbreakable against heat
Sensor : Has it
Suction power :1200m
Key Model : Touch
Function Model : 4 different speeds
Electric Door : Has it
remote control : Has it
Timer and clock : Has it
Brightness : 2 number low power OLED lamps
Filter : Washable number 2
Engine : Super Silent
Parts : of Italy



Code Gas SN:705

PLUS
SOREND

Size : 90 cm
Glass : Unbreakable against heat
Sensor : Has it
Suction : 1200m
Key Model : Touch
Function Type : 4 different speeds
Electric Door : Has it
remote control : Has it
Timer and clock : Has it
Brightness : 2 low power OLED lamps
Filter : Two washable numbers
Engine : Super silent Metal
Parts : of Italy



Code Gas SN:706

PLUS
SOREND

Filter: Washable
Glass: shatterproof reflex
Light: 2 low power OLED lamps
Motor: Metal And Metal Butterfly
remote control: yes
size: 90
speed: 4 speed supercharger
switch: Touch with smoke and heat and gas sensors
color: Steel



Code Gas SN:707

PLUS
SOREND

Size:90 cm
glass materia l: Unbreakable
Heat sensor : yes
Suction: 1200 m
Key model: Touch
Number of rounds: 4 speeds
hand arm jack : Equipped with remote control : has
timer : has it
Lighting: 2 energy - saving oLED lamps
washable filter : It has
quiet Supersilent engine : It has
parts : Italian
Motor : metal



Code Gas SN:708

PLUS
SOREND

Glass : Crystal unbreakable white
Lamp : Includes two low power consumption OLED lamps
Touch screen : Has it
Remote control : Has it
Speed : Has 4 different speeds
Sensor : Has a sensor
Voice : Super Silent
engine and propeller : All - metal
Quality : Great
Digital timer and clock : Has it



Code Gas SN:709B

PLUS
SOREND

Guaranty : 18 month
Metal engine : super silent
Glass : shatterproof fantasy
Washable filter : yes
Function type: 4 different speeds
light : 2 OLED Low consumption
built - in : 78 cm



Code Gas SN:709BW

PLUS
SOREND

Model:Hidden Hood
Glass: Unbreakable crystal white
Unbreakable fantasy
Color : White
Engine: Super Silent Metal
Function type: 4 different speeds
remote control: It has
filter : Washable
Size : 78cm
Lamp: two number Low power OLED
Warranty: 18 months



Code Gas SN:709W

PLUS
SOREND

Model : Hidden Hood
Glass: Unbreakable crystal white
Unbreakable fantasy
Color : White
Engine: Super Silent Metal
Function type: 4 different speeds
remote control: It has
filter: Washable
Size: 78cm
Lamp: two number Low power OLED
Warranty: 18 months



Code Gas SN:710

PLUS
SOREND

Model: Hidden Hood
Size: 70
Engine: Super Silent Metal
Function type: 4 different speeds
remote control: it has
filter: Washable
lamp: two number Low power OLED
warranty: 18 months
Turn on and off : by pointing hand
Material: All steel



Code Gas SN:711

Size:90 cm
glass materia l: Unbreakable
Heat sensor : yes
Suction: 1200.m
Key model: Touch
Number of rounds: 4 speeds
hand arm jack : Equipped with remote control : has

timer : has it
Lighting: 2 energy - saving oLED lamps
washable filter : It has
quiet Supersilent engine : It has
parts : Italian
Motor : metal
Sensor hood



Code Gas SN:712

Motor : Supersylland Metal
Filter : Washable
Size : 70 cm
Function type: 4 different speeds
Hidden : yes
Lamp : low consumption OLED lamp
manual sensor : Equipped with manual sensor (hood on / off with manual gesture)



PLUS
SN: SOREND





Code Gas SN:901
SM SOREND PLUS

Size : 50 x 120 built - in
Thickness : Metal 1/10
Bowl of Depth : 22 CM
Sator and knife place : yes
Liquid place : yes
Antibacterial and anti blemish : yes
Rubbish bin place : yes
Separate pipe and clamp : yes
Separate meat board and baskets : yes
Left hip and right hip : yes
Accessories: Meat board and vegetable basket



Code Gas SN:902
SM SOREND PLUS

Size : 120x50 built in
Bowl of Depth : 22 CM
Glass :Breakable up to 400 kg
Color : White Glacier
Liquid place : yes
High- quality thick square tubs : yes
Pipe and siphon : yes
Left hip and right hip : yes
Accessories: Meat board and vegetable basket



Code Gas SN:903
SM SOREND PLUS

Size : 50 x 120 built- in
Thickness : Metal 1/10
Bowl of Depth : 22 CM
Antibacterial and anti blemish : yes
Liquid place : yes
Separate pipe and clamp : yes
Automated pelvis : yes
Separate meat board and baskets
Accessories: Meat board and vegetable basket : yes



Code Gas SN:905
SM SOREND PLUS

sink type : Surface sink - Thick anti - stain
Size : 120x60 cm
Siphon tube : it has
Solidity : 0.8 cm
Bowl of Depth : 20 CM
Pelvic features : two Pelvic the right side
Tray :It has
Accessories : Meat board and vegetable basket



Code Gas SN:906
SM SOREND PLUS

Type of sink : Built - in boxing sink
Beneath the cabinet : Corinne plate
Size : 40 x70 cm
anti spot : yes
Siphon tube : It has
Thickness : 1/2 mm
Quality : high



Code Gas SN:907
SM SOREND PLUS

Type of sink: Built-in boxing sink
Beneath the cabinet: Corinne plate
Size: 40 x 40 cm
anti spot: yes
Siphon tube: It has
Thickness: 1/2 mm
Quality:high



Code Gas SN:908
SM SOREND PLUS

Size : 120x50 cm
sink type : Surface sink- Thick anti - stain
solidity : 0.8 cm
Bowl of Depth : 22 CM
fluid placement : Optional
Separate pipe and clamp : It has
separate board and basket : Optional
Accessories: Meat board and vegetable basket



Code Gas SN:909
SM SOREND PLUS

Size: 120x50 cm
sink type: Thick anti-stain
Solidity: 0.8 cm
Bowl of Depth: 22 CM
fluid placement: Optional
Separate pipe and clamp: It has
separate board and basket: Optional
Accessories: Meat board and vegetable basket



Code Gas SN:910
SM SOREND PLUS

Size: 120x50 cm
sink type: Thick anti -stain
solidity: 0.8 cm
Bowl of Depth: 22 CM
fluid placement: Optional
fluid placement: Optional
separate board and basket: Optional
Accessories: Meat board and vegetable basket



Code Gas SN:911
SM SOREND PLUS

Size: 120x50 cm
sink type: Thick anti - stain
Solidity: 0.8 cm
Bowl of Depth: 22 CM
fluid placement : Optional
Separate pipe and clamp: It has
separate board and basket: Optional
Accessories: Meat board and vegetable basket



Code Gas SN:912
SM SOREND PLUS

Type of sink : Built-in sink
Pelvic depth :
Size : 120 x 50 cm
anti spot : yes
Siphon tube : It has
Thickness : 0/8 mm
Quality : high
Dorsink insulation : yes
Automatic evacuation : yes
Meat board and basket : yes



Code Gas SN:913
SM SOREND PLUS

Size : 120x50
Built- in : yes
Anti- stain: yes
Sheet : 0/08Thick
Pelvic depth : 20cm
Automatic evacuation : yes
siphon tube and clamp : yes
Insulation around the sink : yes
meat boards and baskets : yes



Code Gas SN:914

Size: 120 * 50 CM
Pelvic depth: 22 cm
Sheets: 304 with a thickness of 1/2 sheet-
Thick and anti stain for Korin and MDF
board
Packaging: Excellent vacuum
Accessories: Siphon tube, liquid holder and meat plate



Code Gas SN:915

Size: 100 * 50 CM
Pelvic depth: 22 cm
Sheets: 304 with a thickness of 1/2 sheet
Thick and anti stain for Korin and MDF
board
Packaging: Excellent vacuum
Accessories: Siphon tube, liquid holder and meat plate







Code Gas SN:500
SM SOREND PLUS

Glass : Anti-scratch steel optics - Three - wall Low e heat insulation s scorite
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 10 baking Programs and 14 Combined Baking Programs
Energy label : A+



Code Gas SN:501
SM SOREND PLUS

Glass : Belgian black optical - Three - wall heat insulation-security
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 10 baking Programs and 14 Combined Baking Programs
Energy label : A+



Code Gas SN:502
SM SOREND PLUS

Glass : Anti - scratch steel optics - Three - wall Low e heat insulation ascorite
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 7 baking Programs
Energy label : A+



Code Gas SN:503
SM SOREND PLUS

Glass : Belgian black optical - Three - wall heat insulation -security
Capacity : 67 liters
Glazed veneer : Easy to clean
Uniform temperature fan : Has it
Cooking : 3D
Rotating chicken engine : Has it
deep tray : Two number with double edge for Bake a cake and a pizza
Rail:Telescope for easier tray movement
Child Lock : Has it
Touch LED display : Has it
Handle : Anodized aluminum
door and hinge : Easy to open for easy cleaning
Open the inside glass for easy cleaning : yes
Temperature adjustment thermostat : above 50 to 250 degrees
Defrosting system : yes
Rapid heating system : yes
Baking : Full automatic and semi automatic
Normal baking and grilling
Energy Usage : Gas and electricity
Energy label : + A
Baking program : 7 different models



Code Gas SN:504
SM SOREND PLUS

Glass : Belgian white optical - Three - wall heat insulation -security
Capacity : 67 liters
Glazed veneer : Easy to clean
Uniform temperature fan : Has it
Cooking : 3D
Rotating chicken engine : Has it
deep tray : Two number with double edge for Bake a cake and a pizza
Rail:Telescope for easier tray movement
Child Lock : Has it
Touch LED display : Has it
Handle : Anodized aluminum
door and hinge : Easy to open for easy cleaning
Open the inside glass for easy cleaning : yes
Temperature adjustment thermostat : above 50 to 250 degrees
Defrosting system : yes
Rapid heating system : yes
Baking : Full automatic and semi automatic
Normal baking and grilling
Energy Usage : Gas and electricity
Energy label : + A
Baking program : 7 different models



Code Gas SN:505
SM SOREND PLUS

Glass : Anti-scratch steel optics - Three - wall Low e heat insulation s scorite
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 10 baking Programs and 14 Combined Baking Programs
Energy label : A+



Code Gas SN:506
SM SOREND PLUS

Glass : Belgian black optical - Three - wall heat insulation-security
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 10 baking Programs and 14 Combined Baking Programs
Energy label : A+



Code Gas SN:507
SM SOREND PLUS

Glass : Belgian white optical - Three - wall heat insulation -security
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 10 baking Programs and 14 Combined Baking Programs
Energy label : A+



Code Gas SN:508
SM SOREND PLUS

Glass : Anti - scratch steel optics - Three - wall Low e heat insulation ascorite
Capacity : 67 liters
Coating : Easy to clean enamel
Fan specifications : Uniform temperature fan and 3D baking
Engine Specifications : Spin the roast chicken
Tray : Deep with double edges for Bake a cake and a pizza
Rail : Telescope for easier tray movement
Child Lock : yes
Touch LED display : yes
Handle : Anodized aluminum
Door and hinge : Easy to open
Internal glass opening : yes
Temperature regulation thermostat : 50 to 300 degrees
Defrosting system : yes
Rapid heating system : yes
Baking specifications : Full automatic and semi automatic
Normal baking and grilling : 7 baking Programs
Energy label : A+







Code Gas SN:801
SN: SOREND^{PLUS}

Glass: Black shatterproof
Lighter: Instant thermocouple
Display: Digital in Oven
Self - cleaning cover: built in oven
Oven inner compartment: 100 liter
Cooling fan: built in oven
Rotary engine: 2
Warm house door: under oven
Stand under the oven: 4
Back for beautiful oven: yes
Using oven when door closed: yes
Oven Glass Door: 4 walls shatterproof
Flame: DEFENDI Italy



Code Gas SN:802
SN: SOREND^{PLUS}

Type of gas: oven
Glass: Unbreakable Black
Lighter and thermocouple: instantaneous
Built - in oven thermometer: It has
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters
cooling fan: It has
Chickens engines: Two It has
pillar: It has 4 numbers under the oven
glass door: 4 - wall unbreakable
cast iron: Beautiful Portable
Flame head: DEFENDI Italy



Code Gas SN:803
SN: SOREND^{PLUS}

Type of gas: oven
Lighter and thermocouple: instantaneous
Digital display: It has
Chickens engines: Two It has
Warm house door: It has down the oven
Pillar: It has 4 numbers under the oven
glass door: 4 - wall unbreakable
cast iron: Beautiful Portable
Flame head: Italy
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters



Code Gas SN:804
SN: SOREND^{PLUS}

Glass: Black shatterproof
Type of gas: oven
Lighter and thermocouple: instantaneous
Digital display: It has
Chickens engines: Two It has
Warm house door: It has down the oven
Pillar: It has 4 numbers under the oven
glass door: 4 - wall unbreakable
cast iron: Beautiful Portable
Flame head: DEFENDI Italy
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters
cooling fan: It has



Code Gas SN:805
SN: SOREND^{PLUS}

Glass: White shatterproof
Type of gas: oven
Lighter and thermocouple: instantaneous
Digital display: It has
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters
cooling fan: It has
Chickens engines: Two It has
Warm house door
It has down the oven
Pillar: It has 4 numbers under the oven
glass door: 4 - wall unbreakable
cast iron: Beautiful Portable
Flame head: DEFENDI Italy



Code Gas SN:808
SN: SOREND^{PLUS}

Color: White
Model: Digital
Fan: inside the oven
Type of coating inside the oven: Self - cleaning
Lighter and thermocouple: Separate and instant
cast iron: Beautiful moving and Unbreakable
head Flaming: Italy
stove door: has it
energy saving lightbulb: has it
Capacity: 100 Liters
Flame rice cooker: 4.5 kW
Another flame: 2.4 kW
Chicken rotation engine: two items



Code Gas SN:809
SN: SOREND^{PLUS}

Type of gas: oven
Lighter and thermocouple: instantaneous
Digital display: It has
Chickens engines: Two It has
Warm house door: It has down the oven
Pillar: It has 4 numbers under the oven
cast iron: Beautiful Portable
Flame head: Italy
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters
cooling fan: It has



Code Gas SN:810
SN: SOREND^{PLUS}

Type of gas: oven
Lighter and thermocouple: instantaneous
Digital display: It has
Chickens engines: Two It has
Warm house door: It has down the oven
Pillar: It has 4 numbers under the oven
glass door: 4 - wall unbreakable
cast iron: Beautiful Portable
Flame head: Italy
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters
cooling fan: It has



Code Gas SN:811
SN: SOREND^{PLUS}

Type of gas: oven
Lighter and thermocouple: instantaneous
Digital display: It has
Chickens engines: Two It has
Warm house door: It has down the oven
Pillar: It has 4 numbers under the oven
glass door: 4 - wall unbreakable
cast iron: Beautiful Portable
Flame head: Italy
Cover: Klein's predecessor Inside the oven
Built - in oven capacity: 100 liters
cooling fan: It has



NEW 2020-2021
Luxury Kitchen Design

Energy
Category **A+**

5 Years
Services

18 Months
Golden Guarantees



Orkli



DEFENDI